ESTUARINE AND COASTAL MARINE SCIENCE

Volume 6
1978

ACADEMIC PRESS
London and New York

Published by Academic Press Inc. (London) Ltd in association with the Estuarine and Brackish Water Sciences Association

ISSN 0302–3524

Copyright © 1978, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 6

Number 1, January 1978

Page

Editorial 1

Partch, E. N. and Smith, J. D., Time dependent mixing in a salt wedge estuary . 3

Khalid, R. A., Patrick, W. H., Jr. and Gambrell, R. P., Effect of dissolved oxygen on chemical transformations of heavy metals, phosphorus, and nitrogen in an estuarine sediment 21

Roman, M. R. and Tenore, K. R., Tidal resuspension in Buzzards Bay, Massachusetts. I. Seasonal changes in the resuspension of organic carbon and chlorophyll *a* 37

Roman, M. R., Tidal resuspension in Buzzards Bay, Massachusetts. II. Seasonal changes in the size distribution of chlorophyll, particle concentration, carbon and nitrogen in resuspended particulate matter 47

Mungall, J. C. H. and Matthews, J. B., The M_2 tide of the Irish Sea: hourly configurations of the sea surface and of the depth-mean currents . . . 55

Edwards, R. R. C., Ecology of a coastal lagoon complex in Mexico . . 75

Garside, C. and Malone, T. C., Monthly oxygen and carbon budgets of the New York Bight Apex 93

Notes and Discussions

Morris, A. W., Howland, R. J. M. and Bale, A. J., A filtration unit for use with continuous autoanalytical systems applied to highly turbid waters . . 105

Montgomery, J. R. and Santiago, R. J., Zinc and copper in 'particulate' forms and 'soluble' complexes with inorganic or organic ligands in the Guanajibo River and coastal zone, Puerto Rico 111

Young, A. M., Desiccation tolerances for three hermit crab species, *Clibanarius vittatus* (Bosc), *Pagurus pollicaris* Say and *P. longicarpus* Say (Decapoda, Anomura) in the north inlet estuary, South Carolina, U.S.A. . . . 117

Book Reviews 123

Number 2, February 1978

Page

Bågander, L. E. and Niemisto, L., An evaluation of the use of redox measurements for characterizing recent sediments 127

READING, C. J. and MCGRORTY, S., Seasonal variations in the burying depth of *Macoma balthica* (L.) and its accessibility to wading birds 351

MURRAY, C. N. and FUKAI, R., Measurement of $^{239+240}$Pu in the northwestern Mediterranean 145

AULD, A. H. and SCHUBEL, J. R., Effects of suspended sediment on fish eggs and larvae: a laboratory assessment 153

DOYLE, B. E. and WILSON, R. E., Lateral dynamic balance in the Sandy Hook to Rockaway Point Transect 165

DAWES, C. J., MOON, R. E. and DAVIS, M. A., The photosynthetic and respiratory rates and tolerances of benthic algae from a mangrove and salt marsh estuary: a comparative study 175

PELLENBARG, R. E., *Spartina alterniflora* litter and the aqueous surface microlayer in the salt marsh 187

HUNTER, J. and ARTHUR, D. R., Some aspects of the ecology of *Peloscolex benedeni* Undekem (Oligocharta: Tubificidae) in the Thames estuary . . . 197

BLUMBERG, A. F., The influence of density variations on estuarine tides and circulations 209

NOTES AND DISCUSSIONS

SMITH, W., Environmental survey design: a time series approach . . 217

GABLE, M. F. and CROKER, R. A., The salt marsh Amphipod, *Gammarus palustris*, Bousfield, 1969 at the northern limit of its distribution. II. Temperature–salinity tolerances 225

SANDERS, J. G., The sources of dissolved manganese to Calico Creek, North Carolina 231

NUMBER 3, MARCH 1978

Page

LEKAN, J. F. and WILSON, R. E., Spatial variability of phytoplankton biomass in the surface waters of Long Island 239

JONES, D. A., PRICE, A. R. G. and HUGHS, R. N., Ecology of the high saline lagoons Dawhat as Sayh, Arabian Gulf, Saudi Arabia 253

HEATHERSHAW, A. D. and SIMPSON, J. H., The sampling variability of the Reynolds stress and its relation to boundary shear stress and drag coefficient measurements 263

BARNES, R. S. K., Variation in paragnath number of *Nereis diversicolor* in relation to sediment type and salinity regime 275

ELLIOTT, A. J., Observations of the meteorologically induced circulation in the Potomac estuary 285

MACKIE, P. R., PLATT, H. M. and HARDY, R., Hydrocarbons in the marine environment. II. Distribution of *n*-alkanes in the fauna and environment of the sub-antarctic island of South Georgia 301

ICELY, J. D. and JONES, D. A., Factors affecting the distribution of the genus *Uca* (Crustacea: Ocypodidae) on an East African shore 315

WEIS, P. and WEIS, J. S., Methylmercury inhibition of fin regeneration in fishes and its interaction with salinity and cadmium 327

NOTES AND DISCUSSIONS

MANN, R. and GLOMB, S. J., The effect of temperature on growth and ammonia excretion of the Manila clam *Tapes japonica* 335

NUMBER 4, APRIL 1978

Page

NEDWELL, D. B. and ABRAM, J. W., Bacterial sulphate reduction in relation to sulphur geochemistry in two contrasting areas of saltmarsh sediment . . . 341

PINGREE, R. D. and MADDOCK, L., Numerical simulation of the Portland tidal eddies 353

TATEM, H. E., COX, B. A. and ANDERSON, J. W., The toxicity of oils and petroleum hydrocarbons to estuarine crustaceans 365

KREBS, C. T. and VALIELA, I., Effect of experimentally applied chlorinated hydrocarbons on the biomass of the fiddler crab *Uca pugnax* (Smith) . . . 375

MANTOURA, R. F. C., DICKSON, A. and RILEY, J. P., The complexation of metals with humic materials in natural waters 387

KANGAS, P. and SKOOG, G., Salinity tolerance of *Theodoxus fluviatilis* (Mollusca, Gastropoda) from freshwater and from different salinity regimes in the Baltic Sea . 409

VERHOEVEN, J. T. A. and VAN VIERSSEN, W., Distribution and structures of communities dominated by *Ruppia*, *Zostera* and *Potamogeton* species in the inland waters of 'De Bol', Texel, The Netherlands 417

NOTES AND DISCUSSIONS

MALMGREN, B., OVIATT, C., GERBER, R. and JEFFRIES, H. P., Correspondence analysis: applications to biological oceanographic data 429

TYLER, P. and SHACKLEY, S. E., Comparative efficiency of the Day and Smith-McIntyre grabs 439

Number 5, June 1978

Page

McIntire, C. D., The distribution of estuarine diatoms along environmental gradients: a canonical correlation 447

Ginn, T. C. and O'Connor, J. M., Response of the estuarine amphipod *Gammarus daiberi* to chlorinated power plant effluent 459

Boehm, P. D. and Quinn, J. G., Benthic hydrocarbons of Rhode Island Sound . 471

Moore, R. H., Variations in the diversity of summer estuarine fish populations in Aransas Bay, Texas, 1966–1973 495

Saad, M. A. H., Seasonal variations of some physico-chemical conditions of Shatt al-Arab estuary, Iraq 503

de Souza Lima, H. and Williams, P. J. le B., Oxygen consumption by the planktonic population of an estuary—Southampton Water 515

Yanada, M. and Maita, Y., Production and decomposition of particulate organic matter in Funka Bay, Japan 523

Number 6, July 1978

Page

Stefánsson, U. and Guðmundsson, G., The freshwater regime of Faxaflói, Southwest Iceland, and its relationship to meteorological variables . . . 535

Sayler, G. S., Thomas, R. and Colwell, R. R., Polychlorinated biphenyl (PCB) degrading bacteria and PCB in estuarine and marine environments . . 553

Van Valkenburg, S. D., Jones, J. K. and Heinle, D. R., A comparison by size class and volume of detritus versus phytoplankton in Chesapeake Bay . . 569

Broenkow, W. W. and Smethie, W. M. Jr., Surface circulation and replacement of water in Monterey Bay 583

Trevor, J. H., The dynamics and mechanical energy expenditure of the polychaetes *Nephtys cirrosa*, *Nereis diversicolor* and *Arenicola marina* during burrowing . 605

Index to Volume 6

Note: The subject index is based upon the keywords allocated to each paper. The keywords are rotated in order so that each one appears once as the first index term. The complete list of permitted keywords is published in *Estuarine and Coastal Marine Science* **5** (2), i–xl.

ABRAM, J. W., *see* NEDWELL, D. B., 341

Air–water exchange; primary production; benthic organisms; respiration; seasonal variations; New York Bight; oxygen balance; carbon, 93

Air–sea interactions; wind speed; fresh waters; runoff; evaporation; bays; Iceland coast, 535

Ammonia; excretion; growth rates; Mollusca; clams; aquaculture; temperature variation, 335

Amphipoda; Hudson River; power plants; chlorine, 459

—; salt marshes; salinity tolerance; temperature tolerance; life cycles; New Hampshire coast, 225

ANDERSON, J. W., *see* TATEM, H. E., 365

Annual cycles; Massachusetts coast; tidal cycles; tidal currents; suspended particles; chlorophyll measurements; primary productivity; annual cycles; Massachusetts coast, 37

Antarctica; hydrocarbons; sediments; fish; benthos; plants; chromatography, 301

Aquaculture; temperature variation; ammonia; excretion; growth rates; Mollusca; clams, 335

Aquatic animals; brackish waters; Wadden Sea; community composition; spatial structure; aquatic plants, 417

— plants; aquatic animals; brackish waters; Wadden Sea; community composition; spatial structure, 417

Arabian Gulf; tidal estuaries; seasonal variations; temperature; pH; dissolved oxygen; chlorinity; suspended sediments, 503

Aromatic compounds; toxicity; temperature variations; salinity variations; Texas coast; palaemonidae; penaeidae; oil pollution, 365

ARTHUR, D. R., *see* HUNTER, J., 197

Artificial habitats; Oregon; diatoms; estuarine habitat; benthic; distribution; correlation analysis; statistical analysis, 447

Atlantic Ocean southeast; PCB compounds; bacterial pollution; bacteriology; estuarine flora; chemical pollution; pollution distribution; pollution surveys, 553

AULD, A. H. and SCHUBEL, J. R., Effects of suspended sediment on fish eggs and larvae: a laboratory assessment, 153

Bacterial pollution; bacteriology; estuarine flora; chemical pollution; pollution distribution; pollution surveys; Atlantic Ocean southeast; PCB compounds, 553

Bacteriology; estuarine flora; chemical pollution; distribution; pollution surveys; Atlantic Ocean southeast; PCB compounds; bacterial pollution, 553

BÅGANDER, L. E. and NIEMSTÖ, L., An evaluation of the use of redox measurements for characterizing recent sediments, 127

BALE, A. J., *see* MORRIS, A. W., 105

Baltic Sea; Gastropoda; salinity tolerance; fresh waters, 409

— —; redox; *Eh*; sediments; cores, 127

BARNES, R. S. K., Variation in paragnath number of *Nereis diversicolor* in relation to sediment type and salinity regime, 275

Bays; Iceland coast; air–sea interactions; wind speed; fresh waters; runoff; evaporation, 535

—; Texas coast; fish, estuarine fisheries; summer; diversity index; species composition, 495

Benthic; distribution; correlation analysis; statistical analysis; artificial habitats; Oregon; diatoms; estuarine habitat, 447

— environment; benthic organisms; sediments; sediment cores; PCB Compounds; Rhode Island Sound; hydrocarbons; dredge spoil, 471

— —; tide pools; Saudi Arabia coast; lagoons; saline basins; ecology; intertidal sand habitat, 253

— fauna; burrowing; Wales coast; grab samplers; experiment, 439

— organisms; respiration; seasonal variations; New York Bight; oxygen balance; carbon; air–water exchange; primary production, 93

— —; sediments; sediment cores; PCB compound; Rhode Island Sound; hydrocarbons; dredge spoil; benthic environment, 471
Benthos; plants; chromatography; Antarctica; hydrocarbons; sediments; fish, 301
Biological; oceanographic data; statistical analysis, 429
Biomass; brackish waters; Chesapeake Bay; particle size distribution; estuarine flora; detritus particles; nannoplankton; net/plankton, 569
Birds; feeding habits; seasonal variations; intertidal mud habitat; England coast; Mollusca; burrowing, 135
BLUMBERG, A. F., The influence of density variations on estuarine tides and circulations, 209
BOEHM, P. D. and QUINN, J. G., Benthic hydrocarbons of Rhode Island Sound, 471
Boundary layers; shear stress; drag coefficients; sampling methods; variation; electromagnetic current meters; tidal currents; Reynolds stress, 263
Brackish waters; Chesapeake Bay; particle size distribution; estuarine flora; detritus particles; nannoplankton; net/plankton; biomass, 569
— —; Wadden Sea; community composition; spatial structure; aquatic plants; aquatic animals, 417
BROENKOW, W. W. and SMETHIE, W. M. JR., Surface circulation and replacement of water in Monterey Bay, 583
Burrowing; birds; feeding habits; seasonal variations; intertidal mud habitat; England coast; Mollusca, 235
—; energy; laboratory systems; worms; Polychaeta, 605
—; Wales coast; grab samplers; experiment; benthic fauna, 439
Cadmium compounds; fins; regeneration; salinity variation; killifish; mullet; mercury compounds; 327
Carbon; air–water exchange; primary production; benthic organisms; respiration; seasonal variations; New York Bight; oxygen balance, 93
—; nitrogen; phosphorus; seasonal variations; Japan coast; particulate matter; organic compounds; phytoplankton, 523
Chemical analysis; suspended particles; nitrate; filtration, 105
— pollution; pollution distribution; pollution surveys; Atlantic Ocean southeast; PCB compounds; bacterial pollution; bacteriology; estuarine flora, 553
Chesapeake Bay; estuarine circulation; current measurements; wind forces; non-tidal circulations, 285
— —; estuarine circulation; tide predictions; salinity variations; circulation processes; mathematical model, 209
— —; particle size distribution; estuarine flora; detritus particles; nannoplankton; net/plankton; biomass; brackish waters, 569
— —; suspended sediments; laboratory; fish eggs; fish larvae; hatching; survival, 153
Chlorinated hydrocarbons; sewage; salt marshes; population dynamics; detritus; Massachusetts coast; fiddler crabs, 375
Chlorine; Amphipoda; Hudson River; power plants, 459
Chlorinity; suspended sediments; Arabian Gulf; tidal estuaries; seasonal variations; temperature; pH; dissolved oxygen, 503
Chlorophyll measurements; plankton blooms; Massachusetts coast; seasonal variation; particle size distribution; suspended particles; nutrients, 47
— —; primary productivity; annual cycles; Massachusetts coast; tidal cycles; tidal currents; suspended particles, 37
Chromatography; Antarctica; hydrocarbons; sediments; fish; benthos; plants, 301
Circulation processes; mathematical model; Chesapeake Bay; estuarine circulation; tide predictions; salinity variations, 209
Clams; aquaculture; temperature variation; ammonia; excretion; growth rates; Mollusca, 335
Coastal lagoons; ecology; production; fisheries management; oxygen consumption; community; Mexico, 75
— waters; Long Island; phytoplankton; spatial structure; spectral analysis, 239
COLWELL, R. R., *see* SAYLER, G. S., 553
Community composition; spatial structure; aquatic plants; aquatic animals; brackish water; Wadden Sea, 417
—; Mexico; coastal lagoons; ecology; production; fisheries management; oxygen consumption, 75

Concentration; water; sediments; Mollusca; Mediterranean Sea; plutonium; radionuclides; concentration; water; sediments, 145
Copper; particulate matter; solubility; estuaries; Puerto Rico coast; zinc, 111
Cores; Baltic Sea; redox; *Eh*; sediments, 127
Correlation analysis; statistical analysis; artificial habitats; Oregon; diatoms; estuarine habitat; benthic; distribution, 447
Cox, B. A., *see* Tatem, H. E., 365
Crabs; intertidal environment; desiccation; tolerance; laboratory method; South Carolina coast; decapoda (arth), 117
—; marine ecology; zonation; feeding mechanisms; substrates; intertidal mud habitat; morphology; Kenya coast, 315
Croker, R. A., *see* Gable, M. F., 225
Current measurements; wind forces; non-tidal circulations; Chesapeake Bay; estuarine circulation, 285
— velocity; tidal range; phase; Irish Sea; tide models; numerical models, 55
Davis, M. A., *see* Dawes, C. J., 175
Dawes, C. J., Moon, R. E. and Davis, M. A., The photosynthetic and respiratory rates and tolerances of benthic algae from a mangrove and salt marsh estuary: a comparative study, 175
Decapoda (arth); crabs; intertidal environment; desiccation; tolerance; laboratory method; South Carolina coast, 117
Decomposition; seasonal variations; estuarine circulation; England coast; oxygen consumption; phytoplankton; respiration, 515
Delaware coast; sorption; marsh plants; surface layers; metals; salt marshes, 187
De Souza Lima, H. and Williams, P. J. le B., Oxygen consumption by the planktonic population of an estuary—Southampton Water, 515
Desiccation; Florida coast; estuarine flora; photosynthesis; respiration; light responses; salinity tolerance, 175
—; tolerance; laboratory method; South Carolina coast; decapoda (arth); crabs; intertidal environment, 117
Detritus; Massachusetts coast; fiddler crabs; chlorinated hydrocarbons; sewage; salt marshes; population dynamics, 375
— particles; nannoplankton; net/plankton; biomass; brackish waters; Chesapeake Bay; particle size distribution; estuarine flora, 569
Diatoms; estuarine habitat; benthic; distribution; correlation analysis; statistical analysis; artificial habitats; Oregon, 447
Dickson, A., *see* Mantoura, R. F. C., 387
Diffusion–molecular; sewage effluent; North Carolina coast; manganese; tidal creek; sediment control; tidal scour, 231
Dissolved oxygen; chlorinity; suspended sediments; Arabian Gulf; tidal estuaries; seasonal variations; temperature; pH, 503
Distribution; correlation analysis; statistical analysis; artificial habitats; Oregon; diatoms; estuarine habitat; benthic, 447
Diversity index; species composition; bays; Texas coast; fish; estuarine fisheries; summer, 495
Doyle, B. E. and Wilson, R. E., Lateral dynamic balance in the Sandy Hook to Rockaway Point Transect, 165
Drag coefficients; sampling methods; variation; electromagnetic current meters; tidal currents; reynolds stress; boundary layers; shear stress, 263
Dredge spoil; benthic environment; benthic organisms; sediments; sediment cores; PCB compounds; Rhode Island Sound; hydrocarbons, 471
Dredging; Louisiana coast; heavy metals; estuarine sedimentation; redox; pH, 21
Dynamic balance; estuarine circulation; Hudson River; New York, 165
Ecology; intertidal sand habitat; benthic environment; tide pools; Saudi Arabia coast; lagoons; saline basins, 253
—; morphology; Polychaeta; population variations; salinity; sediment size; estuarine habitat, 275
—; production; fisheries management; oxygen consumption; community; Mexico, 75
Eddies; numerical model; sewage disposal; English Channel; tides, 353
Edwards, R. R. C., Ecology of a coastal lagoon complex in Mexico, 75
Eh; sediments; cores; Baltic Sea; redox, 127

Electromagnetic current meters; tidal currents; Reynolds stress; boundary layers; shear stress; drag coefficients; sampling methods; variation, 263
ELLIOTT, A. J., Observations of the meteorologically induced circulation in the Potomac Estuary; 285
Energy; laboratory systems; worms; Polychaeta; burrowing, 605
England coast; Mollusca; burrowing; birds; feeding habits; seasonal variations; intertidal mud habitat, 135
— —; oxygen consumption; phytoplankton; respiration; decomposition; seasonal variations; estuarine circulation, 515
— —; sulfur bacteria; saltmarshes; sediment cores; sulfur compounds; iron compounds; seasonal cycles, 341
English Channel; tides; eddies; numerical model; sewage disposal, 353
Environmental surveillance; time series; statistical models; icthyoplankton; Narragansett Bay; surveys, 217
Estuaries; humic substances; trace elements; ionic interactions, 387
—; Puerto Rico coast; zinc; copper; particulate matter; solubility, 111
Estuarine circulation; current measurements; wind forces; non-tidal circulations; Chesapeake Bay, 285
— —; England coast; oxygen consumption; phytoplankton; respiration; decomposition; seasonal variations, 515
— —; Hudson River; New York; dynamic balance, 165
— —; salt wedge; tidal cycles; turbulence; internal waves; Frounde number; Oregon coast; mixing rates, 3
— —; tide predictions; salinity variations; circulation processes; mathematical model; Chesapeake Bay, 209
— fisheries; summer; diversity index; species composition; bays; Texas coast; fish, 495
— flora; chemical pollution; pollution distribution; pollution surveys; Atlantic Ocean southeast; PCB compounds; bacterial pollution; bacteriology, 553
— —; detritus particles; nannoplankton; net/plankton; biomass; brackish waters; Chesapeake Bay; particle size distribution, 569
— —; photosynthesis; respiration; light responses; salinity tolerance; desiccation; Florida coast, 175
— habitat; benthic; distribution; correlation analysis, statistical analysis; artificial habitats; Oregon; diatoms, 447
— —; ecology; morphology; Polychaeta; population variations; salinity; sediment size, 275
— sedimentation; redox; pH; dredging; Louisiana coast; heavy metals, 21
Evaporation; bays; Iceland coast; air–sea interactions; wind speed; fresh waters; runoff, 535
Excretion; growth rates; Mollusca; clams; aquaculture; temperature variation; ammonia, 335
Experiment; benthic fauna; burrowing; Wales coast; grab samplers, 439
Feeding habits; seasonal variations; intertidal mud habitat; England coast; Mollusca; burrowing; birds, 135
— mechanisms; substrates; intertidal mud habitat; morphology; Kenya coast; crabs; marine ecology; zonation, 315
Fiddler crabs; chlorinated hydrocarbons; sewage; salt marshes; population dynamics; detritus; Massachusetts coast, 375
Filtration; chemical analysis; suspended particles; nitrate, 105
Fins; regeneration; salinity variation; killifish; mullet; mercury compounds; cadmium compounds, 327
Fish; benthos; plants; chromatography; Antarctica; hydrocarbons; sediments, 301
— eggs; fish larvae; hatching; survival; Chesapeake Bay; suspended sediments; laboratory, 153
—; estuarine fisheries; summer; diversity index; species composition; bays; Texas coast, 495
— larvae; hatching; survival; Chesapeake Bay; suspended sediments; laboratory; fish eggs, 153
Fisheries management; oxygen consumption; community; Mexico; coastal lagoons; ecology; production, 75
Florida coast; estuarine flora; photosynthesis; respiration; light responses; salinity tolerance; desiccation, 175
Fresh waters; Baltic Sea; Gastropoda; salinity tolerance, 409
— —; runoff; evaporation; bay; Iceland coast, air–sea interactions; wind speed, 535

Froude number; Oregon coast; mixing rates; estuarine circulation; salt wedge; tidal cycles; turbulence; internal waves, 3
Fukai, R., *see* Murray, C. N., 145
Gable, M. F. and Croker, R. A., The salt marsh Amphipod, *Gammarus palustris*, Bousfield, 1969 at the northern limit of its distribution. II. Temperature–salinity tolerances, 225
Gambrell, R. P., *see* Khalid, R. A., 21
Garside, C. and Malone, T. C., Monthly oxygen and carbon budgets of the New York Bight Apex, 93
Gastropoda; salinity tolerance; fresh waters; Baltic Sea, 409
Gerber, R., *see* Malmgren, B., 429
Ginn, T. C. and O'Connor, J. M., Response of the estuarine amphipod *Gammarus daiberi* to chlorinated power plant effluent, 459
Glomb, S. J., *see* Mann, R., 335
Grab samplers; experiment; benthic fauna; burrowing; Wales coast, 439
Growth rates; Mollusca; clams; aquaculture; temperature variation; ammonia; excretion, 335
Guðmundsson, G., *see* Stefánsson, U., 535
Hardy, R., *see* Mackie, P. R., 301
Hatching; survival; Chesapeake Bay; suspended sediments; laboratory; fish eggs; fish larvae, 153
Heathershaw, A. D. and Simpson, J. H., The sampling variability of the Reynolds stress and its relation to boundary shear stress and drag coefficient measurements, 263
Heavy metals; estuarine sedimentation; redox; pH; dredging; Louisiana coast, 21
Heinle, D. R., *see* Van Valkenburg, 569
Howland, R. J. M., *see* Morris, A. W., 105
Hudson River; New York; dynamic balance; estuarine circulation, 165
— —; power plants; chlorine; Amphipoda, 459
Hughs, R. N., *see* Jones, D. A., 253
Humic substances; trace elements; ionic interactions; estuaries, 387
Hunter, J. and Arthur, D. R., Some aspects of the ecology of *Peloscolex benedeni* Udekem (Oligocharta: Tubificidae) in the Thames estuary, 197
Hydrocarbons; dredge spoil; benthic environment; benthic organisms; sediments; sediment cores; PCB compounds; Rhode Island Sound, 471
—; sediments; fish; benthos; plants; chromatography; Antarctica, 301
Iceland coast; air–sea interactions; wind speed; fresh waters; runoff; evaporation; bays, 535
Icely, J. D. and Jones, D. A., Factors affecting the distribution of the genus *Uca* (Crustacea: Ocypodidae) on an East African shore, 315
Icthyoplankton; Narragansett Bay; surveys; environmental surveillance; time series; statistical models, 217
Internal waves; Froude number; Oregon coast; mixing rates; estuarine circulation; salt wedge; tidal cycles; turbulence, 3
Intertidal environment; desiccation; tolerance; laboratory method; South Carolina coast; decapoda (arth); crabs, 117
— mud habitat; life cycles; seasonal variations; vertical migration; oxygen tolerance; Thames estuary; Oligochaeta, 197
— — —; morphology; Kenya coast; crabs; marine ecology; zonation; feeding mechanisms; substrates, 315
— sand habitat; benthic environment; tide pools; Saudi Arabia coast; lagoons; saline basins; ecology, 253
Ionic interactions; estuaries; humic substances; trace elements, 387
Irish Sea; tide models; numerical models; current velocity; tidal range; phase, 55
Iron compounds; seasonal cycles; England coast; sulfur bacteria; saltmarshes; sediment cores; sulfur compounds; 341
Japan coast; particulate matter; organic compounds; phytoplankton; carbon; nitrogen; phosphorus; seasonal variations, 523
Jeffries, H. P., *see* Malmgren, B., 429
Jones, D. A., Price, A. R. G. and Hughs, R. N., Ecology of the high saline lagoons Dawhat as Sayh, Arabian Gulf, Saudi Arabia, 253
Jones, D. A., *see* Icely, J. D., 315

Jones, J. K., *see* Van Valkenburg, S. D., 569
Kangas, P. and Skoog, G., Salinity tolerance of *Theodoxus fluviatilis* (Mollusca, Gastropoda) from freshwater and from different salinity regimes in the Baltic Sea, 409
Kenya coast; crabs; marine ecology; zonation; feeding mechanisms; substrates; intertidal mud habitat; morphology, 315
Khalid, R. A., Patrick, W. H., Jr. and Gambrell, R. P., Effect of dissolved oxygen on chemical transformations of heavy metals, phosphorus, and nitrogen in an estuarine sediment, 21
Killifish; mullet; mercury compounds; cadmium compounds; fins; regeneration; salinity variation, 327
Krebs, C. T. and Valiela, I., Effect of experimentally applied chlorinated hydrocarbons on the biomass of the fiddler crab, *Uca pugnax* (Smith), 375
Laboratory; fish eggs; fish larvae; hatching; survival; Chesapeake Bay; suspended sediments, 153
— method; South Carolina coast; decapoda (arth); crabs; intertidal environment; desiccation; tolerance, 117
— systems; worms; Polychaeta; burrowing; energy, 605
Lagoons; saline basins; ecology; intertidal sand habitat; benthic environment; tide pools; Saudi Arabia coast, 253
Lekan, J. F. and Wilson, R. E., Spatial variability of phytoplankton biomass in the surface waters of Long Island, 239
Life cycles; New Hampshire coast; Amphipoda; salt marshes; salinity tolerance; temperature tolerance, 225
— —; seasonal variations; vertical migration; oxygen tolerance; Thames estuary; Oligichaeta; intertidal mud habitat,197
Light responses; salinity tolerance; desiccation; Florida coast; estuarine flora; photosynthesis; respiration, 175
Long Island; phytoplankton; spatial structure; spectral analysis; coastal waters, 239
Mackie, P. R., Platt, H. M. and Hardy, R., Hydrocarbons in the marine environment II. Distribution of *n*-alkanes in the fauna and environment of the subantarctic island of South Georgia, 301
Maddock, L. and Pingree, R. D., Numerical simulation of the Portland tidal eddies, 353
Maita, Y., *see* Yanada, M., 523
Malmgren, B., Oviatt, C., Gerber, R. and Jeffries, H. P., Correspondence analysis: applications to biological oceanographic data, 429
Malone, T. C., *see* Garside, C., 93
Manganese; tidal creek; sediment control; tidal scour; diffusion-molecular; sewage effluent; North Carolina coast, 231
Mann, R. and Glomb, S. J., The effect of temperature on growth and ammonia excretion of the Manila clam *Tapes japonica*, 335
Mantoura, R. F. C., Dickson, A. and Riley, J. P., The complexation of metals with humic materials in natural waters, 387
Marine ecology; zonation; feeding mechanisms; substrates; intertidal mud habitat; morphology; Kenya coast; crabs, 315
Marsh plants; surface layers; metals; salt marshes; Delaware coast; sorption, 187
Massachusetts coast; fiddler crabs; chlorinated hydrocarbons; sewage; salt marshes; population dynamics; detritus, 375
— —; seasonal variation; particle size distribution; suspended particles; nutrients; chlorophyll measurements; plankton blooms, 47
— —; tidal cycles; tidal currents; suspended particles; chlorophyll measurements; primary productivity; annual cycles, 37
Mathematical model; Chesapeake Bay; estuarine circulation; tide predictions; salinity variations; circulation processes, 209
Matthews, J. B., *see* Mungall, J. C. H., 55
McGrorty, S., *see* Reading, C. J., 135
McIntire, C. D., The distribution of estuarine diatoms along environmental gradients: a canonical correlation, 447
Mediterranean Sea; plutonium; radionuclides; concentration; water; sediments; Mollusca, 145

Mercury compounds; cadmium compounds; fins; regeneration; salinity variation; killifish; mullet, 327
Metals; salt marshes; Delaware coast; sorption; marsh plants; surface layers, 187
Mexico; coastal lagoons; ecology; production; fisheries management; oxygen consumption; community, 75
Mixing rates; estuarine circulation; salt wedge; tidal cycles; turbulence; internal waves; Froude number; Oregon coast, 3
Mollusca; burrowing; birds; feeding habits; seasonal variations; intertidal mud habitat; England coast, 135
—; clams; aquaculture; temperature variation; ammonia; excretion; growth rates, 335
—; Mediterranean Sea; plutonium; radionuclides; concentration; water; sediments, 145
Monterey Bay; upwelling; wind stress; runoff; submarine canyons; nutrients; sewage; seasonal cycles, 583
MONTGOMERY, J. R. and SANTIAGO, R. J., Zinc and copper in 'particulate' forms and 'soluble' complexes with inorganic or organic ligands in the Guanajibo River and coastal zone, Puerto Rico, 111
MOON, R. E., *see* DAWES, C. J., 175
MOORE, R. H., Variations in the diversity of summer estuarine fish populations in Aransas Bay, Texas, 1966–1973, 495
Morphology; Kenya coast; crabs; marine ecology; zonation; feeding mechanisms; substrates; intertidal mud habitat; morphology, 315
—; Polychaeta; population variations; salinity; sediment size; estuarine habitat; ecology, 275
MORRIS, A. W., HOWLAND, R. J. M. and BALE, A. J., A filtration unit for use with continuous autoanalytical systems applied to highly turbid waters, 105
Mullet, mercury compounds; cadmium compounds; fins; regeneration; salinity variation; killifish, 327
MUNGALL, J. C. H. and MATTHEWS, J. B., The M_2 tide of the Irish Sea: hourly configurations of the sea surface and of the depth-mean currents, 55
MURRAY, C. N. and FUKAI, R., Measurement of $^{239+240}$Pu in the northwestern Mediterranean, 145
Nannoplankton; net/plankton; biomass; brackish waters; Chesapeake Bay; particle size distribution; estuarine flora; detritus particles, 569
Narragansett Bay; surveys; environmental surveillance; time series; statistical models; icthyoplankton, 217
NEDWELL, D. B. and ABRAM, J. W., Bacterial sulphate reduction in relation to sulphur geochemistry in two contrasting areas of saltmarsh sediment, 341
Net/plankton; biomass; brackish waters; Chesapeake Bay; particle size distribution; estuarine flora; detritus particles; nannoplankton, 569
New Hampshire coast; Amphipoda; salt marshes; salinity tolerance; temperature tolerance; life cycles, 225
New York Bight; oxygen balance; carbon; air–water exchange; primary production; benthic organisms; respiration; seasonal variations, 93
New York; dynamic balance; estuarine circulation; Hudson River, 165
NIEMISTÖ, L., *see* BÅGANDER, L. E., 127
Nitrate; filtration; chemical analysis; suspended particles, 105
Nitrogen; phosphorus; seasonal variations; Japan coast; particulate matter; organic compounds; phytoplankton; carbon, 523
Non-tidal circulations; Chesapeake Bay; estuarine circulation; current measurements; wind forces, 285
North Carolina coast; manganese; tidal creek; sediment control; tidal scour; diffusion—molecular; sewage effluent, 231
Numerical model; current velocity; tidal range; phase; Irish Sea; tide models, 55
— ; sewage disposal; English Channel; tides; eddies, 353
Nutrients; chlorophyll measurements; plankton blooms; Massachusetts coast; seasonal variation; particle size distribution; suspended particles, 47
Nutrients; sewage; seasonal cycles; Monterey Bay; upwelling; wind stress; runoff; submarine canyons, 583
Oceanographic data; statistical analysis; biological, 429

O'Connor, J. M., *see* Ginn, T. C., 459
Oil pollution; aromatic compounds; toxicity; temperature variations; salinity variations; Texas coast; palaemonidae; penaeidae, 365
Oligochaeta; intertidal mud habitat; life cycles; seasonal variation; vertical migration; oxygen tolerance; Thames estuary, 197
Oregon coast; mixing rates; estuarine circulation; salt wedge; tidal cycles; turbulence; internal waves; Froude number, 3
—; diatoms; estuarine habitat; benthic; distribution; correlation analysis; statistical analysis; artificial habitats, 447
Organic compounds; phytoplankton; carbon; nitrogen; phosphorus; seasonal variations; Japan coast; particulate matter, 523
Oviatt, C., *see* Malmgren, B., 429
Oxygen balance; carbon; air–water exchange; primary production; benthic organisms; respiration; seasonal variations; New York Bight, 93
— consumption; community; Mexico; coastal lagoons; ecology; production; fisheries management, 75
— —; phytoplankton; respiration; decomposition; seasonal variations; estuarine circulation; England coast, 515
— tolerance; Thames estuary; Oligochaeta; intertidal mud habitat; life cycles; seasonal variations; vertical migration, 197
Particle size distribution; estuarine flora; detritus particles; nannoplankton; net/plankton; biomass; brackish waters; Chesapeake Bay, 569
— — —; suspended particles; nutrients; chlorophyll measurements; plankton blooms; Massachusetts coast, 47
Palaemonidae; penaeidae; oil pollution; aromatic compounds; toxicity; temperature variations; salinity variations; Texas coast, 365
Partch, E. N. and Smith, J. D., Time dependent mixing in a salt wedge estuary, 3
Particulate matter; organic compounds; phytoplankton; carbon; nitrogen-phosphorus; seasonal variations; Japan coast, 523
— —; solubility; estuaries; Puerto Rico Coast; zinc; copper, 111
Patrick, W. H., Jr., *see* Khalid, R. A., 21
PCB compounds; bacterial pollution; bacteriology; estuarine flora; chemical pollution; pollution distribution; pollution surveys; Atlantic Ocean southeast, 553
— —; Rhode Island Sound; hydrocarbons; dredge spoil; benthic environment; benthic organisms; sediments; sediment cores, 471
Pellenbarg, R. E., *Spartina alterniflora* litter and the aqueous surface microlayer in the salt marsh, 187
Penaeidae; oil pollution; aromatic compounds; toxicity; temperature variations; salinity variations; Texas coast; palaemonidae, 365
pH; dissolved oxygen; chlorinity; suspended sediments; Arabian Gulf; tidal estuaries; seasonal variations; temperature, 503
—; dredging; Louisiana coast; heavy metals; estuarine sedimentation; redox, 21
Phase; Irish Sea; tide models; numerical models; current velocity; tidal range, 55
Phosphorus; seasonal variations; Japan coast; particulate matter; organic compounds; phytoplankton; carbon; nitrogen, 523
Photosynthesis; respiration; light responses; salinity tolerance; desiccation; Florida coast; estuarine flora, 175
Phytoplankton; carbon; nitrogen; phosphorus; seasonal variations; Japan coast; particulate matter; organic compounds, 523
—; respiration; decomposition; seasonal variations; estuarine circulation; England coast; oxygen consumption, 515
—; spatial structure; spectral analysis; coastal waters; Long Island, 239
Pingree, R. D., *see* Maddock, L., 353
Plankton blooms; Massachusetts coast; seasonal variation; particle size distribution; suspended particles; nutrients; chlorophyll measurements, 47
Plants; chromatography; Antarctica; hydrocarbons; sediments; fish, 301
Platt, H. M., *see* Mackie, P. R., 301
Plutonium; radionuclides; concentration; water; sediments; Mollusca; Mediterranean Sea, 145

Pollution distribution; pollution surveys; Atlantic Ocean southeast; PCB compounds; bacterial pollution; bacteriology; estuarine flora; chemical pollution, 553
— surveys; Atlantic Ocean southeast; PCB compounds; bacterial pollution; bacteriology; estuarine flora; chemical pollution; pollution distribution, 553
Polychaeta; burrowing; energy; laboratory systems; worms, 605
—; population variations; salinity; sediment size; estuarine habitat; ecology; morphology, 275
Population dynamics; detritus; Massachusetts coast; fiddler crabs; chlorinated hydrocarbons; sewage; salt marshes, 375
— variations; salinity; sediment size; estuarine habitat; ecology; morphology; Polycheata, 275
Power plants; chlorine; Amphipoda; Hudson River, 459
Price, A. R. G., *see* Jones, D. A., 253
Primary production; benthic organisms; respiration; seasonal variations; New York Bight; oxygen balance; carbon; air–water exchange, 93
— —; annual cycles; Massachusetts coast; tidal cycles; tidal currents; suspended particles; chlorophyll measurements, 37
Production; fisheries management; oxygen consumption; community; Mexico; coastal lagoons; ecology, 75
Puerto Rico coast; zinc; copper; particulate matter; solubility; estuaries, 111
Quinn, J. G., *see* Boehm, P. D., 471
Radionuclides; concentration; water; sediments; Mollusca; Mediterranean Sea; plutonium, 145
Reading, C. J. and McGrorty, S., Seasonal variations in the burying depth of *Macona balthica* (L.) and its accessibility to wading birds, 135
Redox; *Eh*; sediments; cores; Baltic Sea, 127
—; pH; dredging; Louisiana coast; heavy metals; estuarine sedimentation, 21
Regeneration; salinity variation; killifish; mullet; mercury compounds; cadmium compounds; fins, 327
Respiration; decomposition; seasonal variations; estuarine circulation; England coast; oxygen consumption; phytoplankton, 515
—; light responses; salinity tolerance; desiccation; Florida coast; estuarine flora; photosynthesis, 175
—; seasonal variations; New York Bight; oxygen balance; carbon; air–water exchange; primary production; benthic organisms, 93
Reynolds stress; boundary layers; shear stress; drag coefficients; sampling methods; variation; electromagnetic current meters; tidal currents, 263
Rhode Island Sound; hydrocarbons; dredge spoil; benthic environment; benthic organisms; sediments; sediment cores; PCB compounds, 471
Riley, J. P., *see* Mantoura, R. F. C., 387
Roman, M. R., Tidal resuspension in Buzzard Bay, Massachusetts. II. Seasonal changes in the size distribution of chorophyll, particle concentration, carbon and nitrogen in resuspended particulate matter, 47
—, — and Tenore, K. R., Tidal resuspension in Buzzards Bay, Massachusetts. I. Seasonal changes in the resuspension of organic carbon and chlorophyll *a*, 37
Runoff; evaporation; bays; Iceland coast; air–sea interaction; wind speed; fresh waters, 535
—; submarine canyons; nutrients; sewage; seasonal cycles; Monterey Bay; upwelling; wind stress, 583
Saad, M. A. H., Seasonal variations of some physico-chemical conditions of Shatt al-Arab estuary, Iraq, 503
Saline basins; ecology; intertidal sand habitat; benthic environment; tide pools; Saudi Arabia coast; lagoons, 253
Salinity; sediment size; estuarine habitat; ecology; morphology; Polychaeta; population variations, 275
— tolerance; desiccation; Florida coast; estuarine flora; photosynthesis; respiration, 175
— —; fresh water; Baltic Sea; Gastropoda, 409
— —; temperature tolerance; life cycles; New Hampshire coast; Amphipoda; salt marshes, 225
— variations; circulation processes; mathematical model; Chesapeake Bay; estuarine circulation; tide predictions, 209
— —; killifish; mullet; mercury compounds; cadmium compounds; fins; regeneration, 327

— —; Texas coast; Palaemonidae; Penaeidae; oil pollution; aromatic compounds; toxicity; temperature variations, 365
Salt marshes; Delaware coast; sorption; marsh plants; surface layers; metals, 187
— —; population dynamics; detritus; Massachusetts coast; fiddler crabs; chlorinated hydrocarbons; sewage, 375
— —; salinity tolerance; temperature tolerance; life cycles; New Hampshire coast; Amphipoda, 225
— —; sediment cores; sulfur compounds; iron compounds; seasonal cycles; England coast; sulfur bacteria, 341
— wedge; tidal cycles; turbulence; internal waves; Froude number; Oregon coast; mixing rates; estuarine circulation, 3
Sampling methods; variation; electromagnetic current meters; tidal currents; Reynolds stress; boundary layers; shear stress; drag coefficients, 263
Sanders, J. G., The sources of dissolved manganese to Calico Creek, North Carolina, 231
Santiago, R. J., *see* Montgomery, J. R., 111
Saudi Arabia coast; lagoons; saline basins; ecology; intertidal sand habitat; benthic environment; tide pools, 253
Sayler, G. S., Thomas, R. and Colwell, R. R., Polychlorinated biphenyl (PCB) degrading bacteria and PCB in estuarine and marine environments, 553
Schubel, J. R., *see* Auld, A. H., 153
Seasonal cycles; England coast; sulfur bacteria; salt marshes; sediment cores; sulfur compounds; iron compounds, 341
—— —; Monterey Bay; upwelling; wind stress; runoff; submarine canyons; nutrients; sewage, 583
— variations; estuarine circulation; England coast; oxygen consumption; phytoplankton; respiration; decomposition, 515
— —; intertidal mud habitat; England coast; Mollusca; burrowing; birds; feeding habits, 135
— —; Japan coast; particulate matter; organic compounds; phytoplankton; carbon; nitrogen; phosphorus, 523
— —; New York Bight; oxygen balance; carbon; air–water exchange; primary production; benthic organisms; respiration, 93
— —; particle size distribution; suspended particles; nutrients; chlorophyll measurements; plankton blooms; Massachusetts coast, 47
— —; temperature; pH; dissolved oxygen; chlorinity; suspended sediments; Arabian Gulf; tidal estuaries, 503
— —; vertical migration; oxygen tolerance; Thames estuary; Oligochaeta; intertidal mud habitat; life cycles, 197
Sediment control; tidal scour; diffusion—molecular; sewage effluent; North Carolina coast; manganese; tidal creek, 231
— cores; PCB compounds; Rhode Island Sound; hydrocarbons; dredge spoil; benthic environment; benthic organisms; sediments, 471
— —; sulfur compounds; iron compounds; seasonal cycles; England coast; sulfur bacteria; salt marshes; 341
— size; estuarine habitat; ecology; morphology; Polychaeta; population variations; salinity, 275
Sediments; fish; benthos; plants; chromatography; Antarctica; hydrocarbons, 301
—; cores; Baltic Sea; redox; *Eh*, 127
—; Mollusca; Mediterranean Sea; plutonium; radionuclides; concentration; water; sediments, 145
—; sediment cores; PCB compounds; Rhode Island Sound; hydrocarbons; dredge spoil; benthic environment; benthic organisms, 471
Sewage disposal; English Channel; tides; eddies; numerical model, 353
— effluent; North Carolina coast; manganese; tidal creek; sediment control; tidal scour; diffusion—molecular, 231
—; salt marshes; population dynamics; detritus; Massachusetts coast; fiddler crabs; chlorinated hydrocarbons, 375
—; seasonal cycles; Monterey Bay; upwelling; wind stress; runoff; submarine canyons; nutrients, 583
Shackley, S. E., *see* Tyler, P., 439

Shear stress; drag coefficients; sampling methods; variation; electromagnetic current meters; tidal currents; Reynolds stress; boundary layers, 263
SIMPSON, J. H., *see* HEATHERSHAW, A. D., 263
SKOOG, G., *see* KANGAS, P., 409
SMITH, J. D., *see* PARTCH, E. N., 3
SMETHIE, W. M. JR., *see* BROENKOW, W. W., 583
SMITH, W., Environmental survey design: a time series approach, 217
Solubility; estuaries; Puerto Rico coast; zinc; copper; particulate matter, 111
Sorption; marsh plants; surface layers; metals; salt marshes; Delaware coast, 187
South Carolina coast; decapoda (arth); crabs; intertidal environment; desiccation; tolerance; laboratory methods, 117
Spatial structure; aquatic plants; aquatic animals; brackish water; Wadden Sea; community composition, 417
— —; spectral analysis; coastal waters; Long Island; phytoplankton, 239
Species composition; bays; Texas coast; fish; estuarine fisheries; summer; diversity index, 495
Spectral analysis; coastal waters; Long Island; phytoplankton; spatial structure, 239
Statistical analysis; artificial habitats; Oregon; diatoms; estuarine habitat; benthic; distribution; correlation; analysis, 447
— —; biological; oceanographic data, 429
— models; icthyoplankton; Narragansett Bay; surveys; environmental surveillance; time series, 217
STEFÁNSSON, U. and GUÐMUNDSSON, G., The freshwater regime of Faxaflói, South West Iceland, and its relationship to meteorological variables, 535
Submarine canyons; nutrients; sewage; seasonal cycles; Monterey Bay; upwelling; wind stress; runoff, 583
Substrates; intertidal mud habitat; morphology; Kenya coast; crabs; marine ecology; zonation; feeding mechanisms, 315
Sulfur bacteria; salt marshes; sediment cores; sulfur compounds; iron compounds; seasonal cycles; England coast, 341
— compounds; iron compounds; seasonal cycles; England coast; sulfur bacteria; salt marshes; sediment cores, 341
Summer; diversity index; species composition; bays; Texas coast; fish; estuarine fisheries, 495
Surface layers; metals; salt marshes; Delaware coast; sorption; marsh plants, 187
Surveys; environmental surveillance; time series; statistical models; icthyoplankton; Narragansett Bay, 217
Survival; Chesapeake Bay; suspended sediments; laboratory; fish larvae; hatching, 153
Suspended particles; chlorophyll measurements; primary productivity; annual cycles; Massachusetts coast; tidal cycles; tidal currents, 37
— —; nitrate; filtration; chemical analysis, 105
— —; nutrients; chlorophyll measurements; plankton blooms; Massachusetts coast; seasonal variation; particle size distribution, 47
— sediments; Arabian Gulf; Tidal estuaries; seasonal variations; temperature; pH; dissolved oxygen; chlorinity, 503
— —; laboratory; fish eggs; fish larvae; hatching; survival; Chesapeake Bay, 153
TATEM, H. E., COX, B. A. and ANDERSON, J. W., The toxicity of oils and petroleum hydrocarbons to estuarine crustaceans, 365
Temperature; pH; dissolved oxygen; chlorinity; suspended sediments; Arabian Gulf; tidal estuaries; seasonal variations, 503
— tolerance; life cycles; New Hampshire coast; Amphipoda; salt marshes; salinity tolerance, 225
— variations; ammonia; excretion; growth rates; Mollusca; clams; aquaculture, 335
— —; salinity variations; Texas coast; palaemonidae; penaeidae; oil pollution; aromatic compounds; toxicity, 365
TENORE, K. R., *see* ROMAN, M. R., 37
Texas coast; fish; estuarine fisheries; summer; diversity index; species composition; bays, 495
— —; palaemonidae; penaeidae; oil pollution; aromatic compounds; toxicity; temperature variations; salinity variations, 365

Thames estuary; Oligochaeta; intertidal mud habitat; life cycles; seasonal variations; vertical migration; oxygen tolerance, 197
THOMAS, R., *see* SAYLER, G. S., 553
Tidal creek; sediment control; tidal scour; diffusion—molecular; sewage effluent; North Carolina coast; manganesse, 231
— currents; Reynolds stress; boundary layers; shear stress; drag coefficients; sampling methods; variation; electromagnetic current meters, 263
— —; suspended particles; chlorophyll measurements; primary productivity; annual cycles; Massachusetts coast; tidal cycles, 37
— cycles; tidal currents; suspended particles; chlorophyll measurements; primary productivity; annual cycles; Massachusetts coast, 37
— —; turbulence; internal waves; Frounde number; Oregon coast; mixing rates; estuarine circulation; salt wedge, 3
— estuaries; seasonal variations; temperature; pH; dissolved oxygen; chlorinity; suspended sediments; Arabian Gulf, 503
— range; phase; Irish Sea; tide models; numerical models; current velocity, 55
— scour; diffusion—molecular; sewage effluent; North Carolina coast; manganese; tidal creek; sediment control, 231
Tide models; numerical models; current velocity; tidal range; phase; Irish Sea, 55
— pools; Saudi Arabia coast; lagoons; saline basins; ecology; intertidal sand habitat; benthic environment, 253
— predictions; salinity variations; circulations processes; mathematical model; Chesapeake Bay; estuarine circulation, 209
Tides; eddies; numerical model; sewage disposal; English Channel, 353
Time series; statistical models; icthyoplankton; Narragansett Bay; surveys; environmental surveillance, 217
Tolerance; laboratory method; South Carolina coast; decapoda (arth); crabs; intertidal environment; desiccation, 117
Toxicity; temperature variations; salinity variations; Texas coast; plaemonidae; penaeidae; oil pollution; aromatic compounds, 365
Trace elements; ionic interactions; estuaries; humic substances, 387
TREVOR, J. H., The dynamics and mechanical energy expenditure of the polychaetes *Nephtys cirosa*, *Nereis diversicolor* and *Aremicola marina* during burrowing, 605
Turbulence; internal waves; Froude number; Oregon coast; mixing rates; estuarine circulation; salt wedge; tidal cycles, 3
TYLER, P. and SHACKLEY, S. E., Comparative efficiency of the Day and Smith-McIntyre grabs, 439
Upwelling; wind stress; runoff; submarine canyons; nutrients; sewage; seasonal cycles; Monterey Bay, 583
VALIELA, I., *see* KREBS, C. T., 375
VAN VALKENBURG, S. D., JONES, J. K. and HEINLE, D. R., A comparison by size class and volume of detritus versus phytoplankton in Chesapeake Bay, 569
VAN VIERSSEN, W., *see* VERHOEVEN, J. T. A., 417
Variation; electromagnetic current meters; tidal currents; Reynolds stress; boundary layers; shear stress; drag coefficients; sampling methods, 263
VERHOEVEN, J. T. A. and VAN VIERSSEN, W., Distribution and structures of communities dominated by *Ruppia*, *Zostera* and *Potamogeton* species in the inland waters of 'De Bol', Texel, The Netherlands, 417
Vertical migration; oxygen tolerance; Thames estuary; Oligochaeta; intertidal mud habitat; life cycles; seasonal variations, 197
Wadden Sea; community composition; spatial structure; aquatic plants; aquatic animals; brackish waters, 417
Wales coast; grab samplers; Experiment; benthic fauna; burrowing, 439
Water; sediments; Mollusca; Mediterranean Sea; plutonium; radionuclides; concentration, 145
WEIS, P. and WEIS, J. S., Methylmercury inhibition of fin regeneration on fishes and its interaction with salinity and cadmium, 327
WEIS, J. S., *see* WEIS, P., 327

Williams, P. J. le B., *see* De Souza Lima, H., 515
Wilson, R. E., *see* Doyle, B. E., 165
—, —, *see* Lekan, J. F., 239
Wind forces; non-tidal circulations; Chesapeake Bay; estuarine circulation; current measurements, 285
— speed; fresh waters; runoff; evaporation; bays; Iceland coast; air–sea interactions, 353
— stress; runoff; submarine canyons; nutrients; sewage; seasonal cycles; Monterey Bay; upwelling, 583
Worms; Polychaeta; burrowing; energy; laboratory systems, 605
Yanada, M. and Maita, Y., Production and decomposition of particulate organic matter in Funka Bay, Japan, 523
Young, A. M., Desiccation tolerances for three hermit crab species *Clibanarius vittatus* (Bosc), *Pagurus pollicaris* Say and *P. longicarpus* Say (Decapoda, Anomura) in the north inlet estuary, South Carolina, U.S.A., 117
Zinc; copper; particulate matter; solubility; estuaries; Puerto Rico coast, 111
Zonation; feeding mechanisms; substrates; intertidal mud habitat; morphology; Kenya coast; crabs; marine ecology, 315